

bizhub color: business_by design

0

211

bizhub C451 bizhub C550 bizhub C650

CONNECT_

COMMUNICATE_

CONTROL_

design that will transform the look, feel and workflow of your office.

design that carries your information to the next level.

_connects your workgroups and branches, customers and suppliers. _communicates with greater impact.

_controls the flow of information with speed and security.

design that makes you more productive. more cost-efficient. more competitive.

business by design ...with bizhub color.



better by design: bizhub C451/C550/C650

This revolutionary bizhub[®] series is unlike anything you've seen before. Its color is dramatically different. Its operation is amazingly simple. And its styling looks great from any angle, for center-office placement and 360° access. With looks this good, your new bizhub deserves a prominent position at the hub of your business – to move information more quickly, output documents more effectively, and power up your productivity.

Design to protect the environment. New power and toner saving modes, low-temperature fusing and other "green" technologies save energy and reduce waste – and the Konica Minolta practice of assessing environmental impact over the lifecycle of every product recently earned us "GoGreen Company of the Month" Award from Spectrum Magazine.

Work flows when you follow the InfoLine. Business by design begins with a business partner that communicates – with status lights that follow the flow of input/output, informing you of message transmission/reception, device operating status, maintenance alerts and more, with links to network and control panel for seamless interface between you and your bizhub.





A scalable solution. Business by design grows with your needs – and bizhub color comes in models for every business need: C451 with 45 ppm output in color and B&W, C550 with 45 ppm color and 55 ppm B&W, and C650 with 50 ppm color and ultra-high-speed 65 ppm B&W output. You'll also have flexible options and software enhancements to customize a right-sized solution for your workflow.







Bigger, brighter, better controls. Your bizhub command center is a large 8.5" color LCD touch-screen with high-contrast TFT design. It speeds operation with short-cut keys you can customize and menus that are easier to navigate. You can even preview and enlarge multiple page thumbnails.

Universal design. Business by design complies with Section 508, allowing easier access for every employee. The control panel tilts and rotates left or right to accommodate wheelchair access, with larger display and blue LED function key lights that are easier to see for the visually impaired. Paper drawers are also easier to open – and documents show up better against a dark output tray.

i-Option[™]: on-ramp to the Internet. For even greater connectivity, the new Konica Minolta i-Option upgrade lets you browse the web from your bizhub control panel, adds new image control capabilities, increases your document security and expands the versatility and convenience of your bizhub workflow.





Web Browser convenience. Access HTTP pages direct from your bizhub, with multi-directional browser keys and PDF file preview with built-in Adobe Acrobat Reader LE. Image Panel capabilities. View multiple thumbnail pages, manipulate User Box documents, combine documents, move documents, restore changes and scan documents from ADF without storing them in your User Box. Enhanced PDF encryption. Increase the security of your documents with government-level AES 128-bit encryption – plus the ability to apply digital IDs and signatures.

innovative design ideas: bizhub core technologies.

Business by design is more than skin deep – and bizhub[®] provides competitive advantages that are built-in. You'll have core technologies that raise the bar and empower your people, with print control right out of the box. And truly spectacular color for documents that communicate, motivate and persuade – plus cost-effective B&W for everyday print/copy needs, making bizhub the ideal replacement for your current monochrome or color multifunctional devices.

bizhub OP: Design for greater productivity. The proprietary bizhub OP (Open Platform) control system adheres, adapts and expands to the needs of your growing IT infrastructure. For powerful printing, simple operation and seamless software integration, bizhub OP is a real design advantage.

The simplicity of bizhub Architecture. With major functions consolidated in uniform processing modules, bizhub operates with smooth, consistent simplicity and security – streamlining your workflow and reducing the need for operator training.

The power of Emperon® printing. The Emperon Print System is built in, with Vista drivers and PCL6, PS3 emulations and XPS for print functionality right out of the box.

The bEST approach to bizhub integration. With built-in bizhub Extended Solution Technology (bEST), your system is ready for a seamless interface with third-party software for business needs such as cost recovery, account management, automated print control and more.

Toner changing on the fly. Replacing toner bottles is quick and clean – and you can do it without interrupting your print/copy run. You'll also have the benefit of a new highcapacity toner cartridge for B&W printing, to help lower your total cost of ownership.

High-impact, high-definition color. Simitri® HD Color Polymerized Toner (below) gives bizhub documents highimpact, high-definition color – sharper text and fine detail, smoother gradations, richer tonality, superior color graphics and halftone reproductions.

Color that won't fade, peel or crack. With oil-less toner fusing at lower temperature, bizhub gives you fade-resistant low-gloss color output – so you can fold, overprint or write on prints and copies with no compromise in quality.















design that handles business information better.

Business by design moves information more quickly and in more directions. Faster scanning. Simultaneous distribution. More flexible input, output and throughput – from a central document resource that lets you eliminate redundant equipment. Backed by a full suite of software solutions for web-based monitoring and network control, integrated IP addressing, personal document management and more. Because more is what it takes to compete.

PageScope Enterprise Suite' addresses the management needs of your Konica Minolta devices with a server-based accounting solution that provides user authentication capabilities as well as a custom display panel based on individual user log-in.

- PageScope Account Manager tracks bizhub activities on a per-page basis for color and B&W based on individual users
- PageScope Authentication Manager provides secure password-protected log-in with multiple methods of authentication.
- PageScope MyPanel Manager customizes your bizhub display based on user log-in at any MFP on your network.

PageScope Net Care Device Manager monitors Konica Minolta MFPs as well as devices from other manufacturers on an IT management network from a central location.



PageScope Web Connection



PageScope Web Print Assistant enables you to print documents from Internet websites without cutting off the right edge of the page.

PageScope Log Management Utility maintains an offline log of your system activity.

PageScope Data Administrator[™] manages device user lists, enables account tracking, sets up one-touch Email addresses and manages password and security functions.

PageScope Web Connection gives each bizhub its own "website" for status monitoring.

PageScope Print Status Notifier tells you that your bizhub print job or network fax has finished, if paper has run out or toner needs replacing.

PageScope Box Operator allows you to download and access scanned or faxed data stored in User Boxes from your PC.

PageScope Workware[™] (optional) makes it easier to manage documents, merge documents, view thumbnail images, link files and convert formats.

PageScope Data Administrator

Enhanced User Box functions. Assign User Boxes to individuals, departments or workgroups, even allocate User Boxes by theme, project or goal to share and group documents more efficiently. You can also search through thumbnails to find any User Box file quickly and easily.

IPv6: The next-generation Internet protocol. IPv6 dramatically increases IP addressing power and gives every networked device its own IP address to facilitate communication and improve security.

Compact PDF for smaller file size. Create high-quality color document files that are smaller in size – and faster to send and receive.

Quick and simple bizhub Send. In a single operation, the bizhub Send feature lets you send data by Email and fax to multiple destinations – and simultaneously store a User Box copy or save the file to SMB or FTP.

Bring information into your system faster. With high-productivity Auto Document Feeders, your bizhub can scan at up to 75 opm² – more than a page every second, including the ability to handle thick or thin paper.

Any document to any destination. Scan-to-Email, attaching documents as PDF, JPEG or TIFF files. Scan to FTP, for quick access via any PC on your network. Scan to SMB, sending files to shared folders on desktop PCs. Scan-to-User Box, saving files on the hard disk drive of your bizhub. Or perform TWAIN scanning from PCs.

Scan Annotation for document ID. Documents stored in an Annotation User Box will be automatically numbered and identified for document management purposes.

Portable Scan for documents to go. With bizhub, you can scan files to USB Thumb-drive and print from a USB Thumb-drive – including files in PDF, Compact PDF, JPEG, TIFF and encrypted PDF formats.

Add high-volume fax to your system. For all-in-one functionality, the FK-502 Super G3 fax option provides direct faxing from your PC, IP Address fax capability, TSI routing, 2,000-location address book, broadcasting and program dialing – and the optional ML-501 Fax Multi-Line Kit adds a second phone line to double your input/output traffic.



business by design means faster, higher-impact documents.

With bizhub[®] color, you'll have documents that work harder to sell, serve and support your goals. Create spectacular color brochures and direct mailers. Output everyday reports and forms in cost-effective B&W. Print and finish booklets for human resources. Power up your presentations with complex color charts and graphics. Add cover sheets and chapter dividers. And do all your printing with in-house, on-demand speed, convenience and economy.

Designed for speed when you need it. All three bizhub models produce both color and B&W documents at blazing speeds. And all have some of the fastest first-copy times in the industry, even in color.

Better ways to manage color. The Emperon® Print System provides color management with ICC Profiles – and you can also add a powerful Fiery® IC-409 Image Controller option for sophisticated in-house color production. Fiery Command Workstation™ interface allows you to control job functions from remote PCs, preview thumbnails, maintain and update archives, create job logs and more – and Fiery ColorWise® Pro tools let you adjust colors, control RGB and CMYK independently, match samples, edit simulations and output profiles.

The right paper for any application. Your bizhub accepts 12" x 18" maximum paper size for two-page spreads that preserve margins and crop marks, auto duplexes up to 140 lb. index stock from all trays, prints on heavy cover stock, envelopes and coated paper.

Higher capacity for longer unattended runs. An optional LU-301 Large Capacity Unit holds 3,000 sheets, raising maximum paper capacity to 6,650 sheets.

100% duplex productivity. With a new reversing section using a special roller for reverse direction, your bizhub maintains 100% productivity when duplex printing – and outputs duplex pages at rated engine speed, so 2-sided color output never slows you down.

Run off a proof for quick checking. Proof Copy/Print function lets you output a single test page to check results before you print the entire run – saving time and reducing wasted paper and toner.



A cost-effective choice of finishers. So you'll have the exact auto-finishing capabilities that fit your business needs (see General Specification for details):

FS-608 – a powerful booklet finisher for all three bizhub models, with sorting, grouping, stapling and 80-page bookletmaking capabilities in addition to half-fold and tri-fold support. **FS-517** – a basic staple finisher for all three bizhub models, providing 50-sheet stapling and customizable sorting, grouping and stapling functions.

FS-519 – a built-in finisher specially designed for the bizhub C451, providing 50-sheet stapling, banner printing³, and customizable sorting, grouping and stapling functions – plus optional Mailbin, Saddle-Stitch Kit and Hole Punch Kit.

PI-503⁴ – a post-inserter lets you add preprinted color or B&W cover sheets or chapter dividers to documents and reports.





grand opening

11.75







design for security: protection, distribution and control.

While you do business, bizhub design does something more: safeguards your information. The advanced security functions of bizhub range from password protection, encryption and HDD sanitizing to a sophisticated Biometric Authentication option that can recognize unique physical characteristics of each user. Why? Because in today's networked workflow, security is more essential than ever - and bizhub design meets the most stringent security precautions and regulations.

Safeguard your most sensitive files. With bizhub Secure Print, you can set password security locks in place on sensitive documents such as job estimates, employee evaluations, salary reports, business forecasts and sales figures.

Protect documents as you scan. Your bizhub can automatically create an encrypted PDF file during scanning. A password is required to open the file, so confidential data is protected as soon as it enters your workflow. In addition to the standard PDF encryption capability, the LK-102 will allow you to encrypt your PDF with an even higher security level.

Set privileges for individual users. User Authentication features can be customized for printing, scanning, faxing and User Box functions – with users identified based on the Active Directory Server, NTLM V1 or V2 Server, NDS Server, LDAP Server or built-in bizhub authentication functions.



The optional AU-101 Biometric Authentication Unit recognizes users based on scanning finger vein patterns for secure MFP Access and "ID and Print" operation. The optional AU-201H HID Authentication Unit* lets you use familiar HID Proximity cards for fast, secure access to bizhub printing, copying and scanning - and supports Windows Active Directory integration via PageScope Enterprise Suite* for simplified authentication and account tracking to increase productivity and reduce costs.



Comprehensive security precautions. With bizhub design, you'll have the power to protect sensitive information in all these ways:

IP Filtering: Registers the IP addresses of PCs that are allowed access or restricted access to your devices.

SSL/TLS Encryption: Protects data during exchange from bizhub to LDAP servers and PageScope programs.

S/MIME Encryption: The Secure Multipurpose Internet Mail Extensions encryption standard that protects Email exchanges.

HDD Lock: Applies password-protection locking to the hard disk drive of your bizhub, preventing it from being read even when removed from your device or any other bizhub.

ISO 15408 EAL 3 Certified System Security: Also known as "Common Criteria," the international standard for evaluating and certifying security implementations for IT-based products. Konica Minolta's Target Of Evaluation (TOE) for ISO 15408 certification applies to the entire MFP - providing system-wide, end-to-end security.

Job erase without a trace. After every job, the bizhub Job Erase feature can automatically overwrite your HDD up to three times deleting any trace of job data in compliance with U.S. military standards for the Army (DoD 5220.22-M), Navy (NAVSO P-5239-26) and Air Force (AFSSI5020).

Copy Protect. To prevent unauthorized re-copying of documents, a selection of concealed watermarks can identify printouts as reprints with hidden messages such as "Confidential" that only appear upon re-copying - no matter which device is used to re-copy.

Secure disposal of your HDD. Before moving, re-using or disposing of your hard disk drive, an HDD Sanitizing feature can overwrite and sanitize its data in 8 different modes to comply with 11 U.S. military and international security standards - including seven-times overwrite protection (AFSSI5020).

Support for Encrypted Network Password Printing. Create your own encryption passphrase to protect authentication credentials.











	• •		
General Specifications:	bizhub C451	bizhub C550	bizhub C650
YPE:		Full-Color Printer/Copier/Scanner with Stationary Platen	
RINT/COPY PROCESS:	Full-Color Printer/Copier/Scanner with Stationary Platen Tandem Process		
ONER TYPE:		Simitri HD Color Polymerized Toner	
ONTHLY DUTY CYCLE:	150,000 pages	200,000 pages	250,000 pages
INT/COPY SPEED:	Full Color: 45 ppm (letter, portrait)	Full Color: 45 ppm (letter, portrait)	Full Color: 50 ppm (letter, portrait)
	B&W: 45 ppm (letter, portrait)	B&W: 55 ppm (letter, portrait)	B&W: 65 ppm (letter, portrait)
INT RESOLUTION:		1800 dpi equivalent x 600 dpi	
AN SPEED:		Full Color: 70 opm	B&W: 75 opm
AN RESOLUTION:	Daw	200 dpi, 300 dpi, 400 dpi, 600 dpi	Daw. 75 opin
AN FILE FORMATS:		TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS	
EMORY:		1,024 MB (shared print, copy, scan and fax memory)	
RD DISK DRIVE:		60 GB HDD (shared print, copy, scan and fax)	
ADATION:		256 color shades per pixel	
RIGINAL SIZE:		Up to 11 x 17 (scanning/copying)	
		Up to 11 x 17 full bleed on 12" x 18" paper (printing)	
DPY SIZE:		Tray 1 (universal cassette): 5.5" x 8.5" to 12" x 18"	
		Tray 2 (universal cassette): 5.5" x 8.5" to 12" x 18"	
		Tray 3 (fixed cassette): 8.5" x 11" or 8.5" x 5.5"	
		Tray 4 (fixed cassette): 8.5" x 11" or 8.5" x 5.5"	
ARM UP TIME:		Bypass Tray" 4" x 6" to 12" x 18" Less than 30 seconds	
ARM UP TIME: AST COPY TIME:	Full Color: Less than 6.5 / B&W: Less than 4.8 seconds	Full Color: Less than 6.5 / B&W: Less than 4.3 seconds	Full Color: Less than 6 / B&W: Less than 3.8 seconds
IPY QUANTITY:	1 an oolor. Eoso man o.o / Dowy. Eoso man 4.0 Seconds	1-9.999	
AGNIFICATION:		Zoom range: 25% - 400%, 0.1% increments	
		Preset reduction: 79%, 73%, 65%, 50%	
		Preset enlargement: 121%, 129%, 155%, 200%	
DLOR MODES:		Auto Color, Full Color, Black & White, 2-Color, Single Color	
DPY EXPOSURE MODES:	Text (legi	ible text), Text/Photo (clear text and halftones), Photo (optimized for g	gradations),
	Map (fine	edges and legible text), Dot Matrix (dot matrix or pencil originals), C	Copied Paper
XING (optional):		Super G3 compatibility	
		JBIG data compression	
		33.6 Kbps modem speed	
		F-Code support MH, MR, MMR, JBIG	
ATA COMPRESSION: X TRANSMISSION SPEED:		Less than 3 seconds/page (JBIG, standard resolution)	
X MEMORY:		1024 MB (shared copier memory)	
X EXPOSURE MODES:		Text, Text/Photo, Photo, Dot Matrix	
ANDARD PAPER CAPACITY:		500-sheet universal cassette (17 lb. bond to 140lb. index)	
		500-sheet universal cassette (17 lb. bond to 140 lb. index)	
		1,000-sheet cassette (17 lb. bond to 140 lb. index)	
		1,500-sheet cassette (17 lb. bond to 140 lb. index)	×
		150-sheet bypass (17 lb. bond to 100 lb. cover or up to 300 gsm)
AXIMUM PAPER CAPACITY: OCUMENT FEEDER (standard):	DE-611 Reversing A	6,650 sheets (total, with options) utomatic Document Feeder	DF-610 Reversing Automatic Document Feeder
ocoment i eeben (standard).			Speed: Full Color: 70 opm, B&W: 75 opm
		Paper Capacity: 100 sheets	
		Paper Size: 5.5" x 8.5" to 11" x 17"	
		Paper Weight: Single-sided: 9.25" lb. bond to 55.75 lb. bond	
		Double-sided or mixed: 13.25 lb. bond to 34lb. bond	
WER REQUIREMENTS:		120V, 60Hz	
WER CONSUMPTION:		Less than 1,920W	
MENSIONS (W x D x H):		25.5" x 30.5" (without control panel)/36" (with control panel) x 45.	5"
EIGHT:		418.5 lb.	
PTIONS:		AU-101 Biometric Authentication Unit AU-201H HID Card Authentication Unit*	
		EK-603 USB Host Board (Local I/F Kit)	
		FK-502 Fax Board	
		FS-517 (50) Sheet Staple Finisher	
		FS-608 Saddle Finisher	
		LK-101 i-Option	
		LK-102 i-Option	
		LU-301 Large Capacity Unit	
		ML-501 Multi-Line Kit	
		OT-503 Output Tray Unit (Exit Tray)	
		PK-512 Punch Kit for FS-517/608 (2/3 Holes)	
		SA-501 Scan Accelerator Kit (standard on C650)	
		SC-503 HDD Encryption Kit	
		Spare TX Marker Stamp 2 SP-501 Fax Stamp Unit	
		UK-201 Upgrade Kit (required for LK-101 or LK-102 only)	
		WT-502 Working Table	
		IC-409 Image Controller (EFI Fiery Controller)	
		VI-504 Video Interface Kit for IC-409 (standard on C650)	
	FS-519 Built-In Base Finisher		Post Inserter
	JS-504 Job Separator		
	<u></u>		
	MT-502 Mailbin Kit for FS-519		
	MT-502 Mailbin Kit for FS-519 0T-602 Output Tray for FS-519		
	MT-502 Mailbin Kit for FS-519		

bizhub C451	1	bizhub C550	I.	hizbub C650	

General Specifications:	bizhub C451	bizhub C550	bizhub C650
Available print/copy functions:	Setting), Color Modes & Functions (Auto Color/Full Color, Bla Blue, Portrait, Hue, Density, Color Balance, Copy Density, Sa (Mirror Image, XY Zoom, Image Center, Base Color, Neg./Pos Enlarge Display, Erase (Border, Frame, Edge) Mode, Finishing (Color Matching, Pure Black Auto ON/OFF Color Balance, Scr (Job Finishing Image Display, Engine Configuration Displa Paper Type Selection (Normal, Thick 1/1+, Thick 2, Thick 3 Proof Copy, Secure Printing, Separate Scan, Sleep Mode,	mple Copy), Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in- . Reverse, Image Repeat), Criss-Cross Sorting, Distribution No. (Group, Sort, Staple, Punch, Half-Fold, Center Staple and Fold een Settings, Image Smoothing ON/OFF), Image Density Adjust y), Interrupt, Job Erase, Job List, Job Reserve, LDAP, OHP Inter 3, Thick 4), Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 6-in-1 Text Enhancement, User Authentication (Syncronize w/Account	y with FS-519), Bi-Directional Communication (Device Option ustments - Brightness, Contrast, Saturation, Sharpness, Red, Green, -1, Book, Booklet, Booklet + Bind), Cover Mode, Creative Functions Printing, Encrypted Network Password Printing, Energy Save Mode, and Tri-Fold), Glossy Mode, HDD Random Erase, Image Adjustments ment (Density, Background Removal), Image Overlay, Image Preview fleaving, Mix-Media, Mixplex, Paper Size Selection (APS/Manual), 1, 9-in-1, 16-in-1, Booklet, Booklet + Bind), Program/Recall Jobs, Track), Utility (Meter Count, Environment Setting, Default Setting, tio, User Box Function, User Programmable Zoom Ratio, Manual)
AVAILABLE SCAN FUNCTIONS:		n-to-SMB (Scan-to-Desktop), Scan-to-HDD (Scan-to-User Box),	
AVAILABLE FAX FUNCTIONS:	Autodialing (2,000 one-touches), Auto Memory Receptio Duplex Transmission/Reception, Exposure Mode (Text Mailbox (Private)Transmission/Reception, Memory/C		g (maximum 600 locations), Bulletin Board, Density Adjustment, touches per group), Image Rotation Transmission/Reception, n, Overseas Transmission Password Transmission/Reception, Dialing (400 programs), Redial, Relay Broadcasting,
APPLICATIONS:		Network & Device Management:	
		PageScope NDPS Gateway	
		PageScope EMS Plug-Ins	
		PageScope Net Care Device Manager	
		PageScope Network Setup	
		PageScope Data Administrator	
		Driver Packaging Utility	
		HDD Back-Up Utility	
		Download Manager (ICC Color Profile Utility)	
		Log Management Utility	
		User Tools:	
		PageScope Web Connection	
		PageScope Direct Print	
		PageScope Box Operator	
		PageScope Print Status Notifier	
		Web Print Assistant Font Management Utility	
		Copy Protect Utility	
		Print Utility for Unix	
MANAGEMENT TOOLS:		bizhub vCare support	
OPTIONAL SOFTWARE:		PageScope Workware	
OF HUNAL SOFTWARE.		PageScope Enterprise Suite*:	
		PageScope Account Manager*	
		PageScope Authentication Manager*	
		PageScope MyPanel Manager*	



Emperon Print System (standard):

PROCESSOR:	867 MHz	
RAM:	1,024 MB (shared copier memory)	
HDD:	60 GB (shared copier memory)	
PAGE DESCRIPTION LANGUAGE:	PCL5c, PCL6 (XL version 3.0) Emulation, PS3 (version 3016), XPS (XML Paper Specification)	
FONTS:	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts	
PRINT DRIVERS:	PCL6: Windows 2000, Windows XP (Home/Professional), Windows Server 2003, Windows XP Professional x64, Windows Server 2003 x64, Windows NT 4.0, Windows Vista (x32, x64)	
	PS3: Windows 2000, Windows XP (Home/Professional), Windows Server 2003, Windows XP Professional x64, Windows Server 2003 x64, Windows Vista (x32, x64)	
	XPS: Windows Vista (x32, x64), Mac OS 9.2 (PPD file), Mac OSX 10.2, 10.3, 10.4, 10.5*, Intel-based 10.4, 10.5* (print driver)	
INTERFACE:	10BASE-T/100BASE-TX/1000BASE-T, USB 1.1, High-Speed USB 2.0	
PROTOCOLS:	TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, LPD, Netware (4.x, 5, 6), Pserver, Nprinter, NDPS, IPP 1.1, SMTP, POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6, DPWS (WSD)	

fiery

J	
Fiery IC-409 Embedded	
Image Controller (optional):	
inago contronor (optional).	
PROCESSOR:	Intel Celeron 2.8GHz FSB 533MHz
OPERATING SYSTEM:	Linux
RAM:	512 MB (standard/max)
HDD:	80 GB HDD
PAGE DESCRIPTION LANGUAGE:	PCL6, Adobe PostScript 3 (version 3017)
FONTS:	PCL: 45 fonts, Adobe PS3: 136 fonts
PRINT DRIVERS:	PCL6:
	Windows 2000, Windows XP, Windows Server 2003, Windows Vista (x32, x64)*
	PS3:
	Windows 2000, Windows XP, Windows Server 2003, Windows XP Professional x64*, Windows Server 2003 x64*, Windows Vista (x32, x64)*
	Mac OSX 10.3.9, 10.4, Intel-based 10.4 (PPD)
INTERFACE:	10BASE-T/100BASE-TX/1000BASE-T, RJ45
PROTOCOLS:	TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, NDPS Gateway on Netware 5.0 or later, IPP, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6
OPTIONAL SOFTWARE:	EFI Color Profiler Suite, ED-100 Densitometer, EFI Secure Erase, Hot Folders, Auto Trap, EFI Impose
	*Soring 2000 Augilability



© 2008 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta and The essentials of imaging are trademarks of KONICA MINOLTA HOLDINGS, INC. i-Option is a trademark and bizhub, Emperon and PageScope are registered trademarks of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks of trademarks of their respective owmers.

Design and specifications are subject to change without notice.

Some functions may require options, which may or may not be available at time of launch.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive Ramsey, NJ 07446 www.kmbs.konicaminolta.us

